Author index

Aaku, E., Sorsa, T. and Wikström, M.
Human immunoglobulin G potentiates superoxide production induced by chemotactic peptides and causes degranulation in isolated human neutrophils (1052) 243
Abraham, R.T., see Augustine, J.A. (1052) 313
Aisen, P., see Thorstensen, K. (1052) 29
Aisen, P., see Zak, O. (1052) 24
Aoi, S., see Masumi, A. (1052) 71
Auclair, M., see Chappey-Gillet, B. (1052) 273
Augustine, J.A., Schlager, J.W. and Abraham, R.T.
Differential effects of interleukin-2 and interleukin-4 on protein tyrosine phosphorylation in factor-dependent murine T cells (1052) 313
Azzi, A., see Boscoboinik, D.O. (1052) 499

Badwey, J.A., see Heyworth, P.G. (1052) 299
Bak, J.F., Handberg, A., Beck-Nielsen, H. and Pedersen, O.
Kinetics of insulin binding and kinase activity of the partially purified insulin receptor from human skeletal muscle (1052) 306
Ballard, P.L., see Froh, D. (1052) 78
Balsinde, J. and Mollinedo, F.
Induction of the oxidative response and of concanavalin A-binding capacity in maturing human U937 cells (1052) 90
Bányász, T., see Csortos, C. (1052) 235
Beaumont, K., see Luo, H. (1052) 119
Beck-Nielsen, H., see Bak, J.F. (1052) 306
Bellini, F., Viola, G., Menegus, A.M., Toffano, G. and Bruni, A.
Signalling mechanism in the lysophosphatidylserine-induced activation of mouse mast cells (1052) 216
Berkers, J.A.M., Van Bergen en Henegouwen, P.M.P., Verkleij, A.J. and Boonstra, J.
Membrane vesicles of A431 cells contain one class of epidermal growth factor binding sites (1052) 453
Bertics, P.J., see Lowndes, J.M. (1052) 143
Bolt-de Vries, J., see Veldscholte, J. (1052) 187
Boonstra, J., see Berkers, J.A.M. (1052) 453
Booth, R.F.G., see Gladwin, A.-M. (1052) 166
Boscoboinik, D.O., Hensey, C.E. and Azzi, A.
Effect of staurosporine on the phorbol ester-induced activation of the Na^+/H^+ antiporter in smooth muscle cells (1052) 499
Boyd, C.A.R., see Peers, C. (1052) 113
Bresnahan, M.R., Flordellis, C.S., Vassilatis, D.K., Makrides, S.C., Zannis, V.I. and Gavras, H.
High level of expression of functional human platelet α_2-adrenergic receptors in a stable mouse C127 cell line (1052) 439
Brown, B.L., see Dobson, P.R.M. (1052) 323
Bruni, A., see Bellini, F. (1052) 216
Bussolati, O., see Dall'Asta, V. (1052) 106

Casey, C.A., Kragskow, S.L., Sorrell, M.F. and Tuma, D.J.
Effect of chronic ethanol administration on total asialoglycoprotein receptor content and intracellular processing of asialoorosomucoid in isolated rat hepatocytes (1052) 1
Cerione, R.A., see Koland, J.G. (1052) 489
Chandler, W.L., see Klauser, R.J. (1052) 408
Chang, B., see Chang, C.-H. (1052) 159
Chang, C.-H., Kohse, K.P., Chang, B., Hirata, M., Jiang, B., Douglas, J.E. and Murad, F.
Characterization of ATP-stimulated guanylate cyclase activation in rat lung membranes (1052) 159
Chappey-Gillet, B., Salmon, S., Mazière, C., Auclair, M. and Mazière, J.C.
Verapamil enhances high-density lipoprotein processing in Hep G2 cells preloaded with cholesterol (1052) 273
Chen, I.-S., see Ko, F.-N. (1052) 360
Cherner, J.A., see Sutliff, V.E. (1052) 9
Christensen, E.I., see Nykjær, A. (1052) 399
Christmas, S.E., see Steward, W.P. (1052) 416
Clark, K.J., see Hii, C.S.T. (1052) 327
Clausen, O.P., see Spydevold, (1052) 221
Csortos, C., Farkas, I., Sparks, L., Bányász, T., Kovács, T. and Gergely, P.
Phosphorylase phosphatase activities of rat liver in streptozotocin-diabetes (1052) 235

Dahlgren, C. and Follin, P.
Degranulation in human neutrophils primes the cells for subsequent responsiveness to the chemoattractant *N*-formylmethionyl-leucylphenylalanine but does not increase the sensitivity of the NADPH-oxidase to an intracellular calcium rise (1052) 42
Dall'Asta, V., Rossi, P.A., Bussolati, O., Guidotti, G.G. and Gazzola, G.C.
The transport of L-glutamine into cultured human fibroblasts (1052) 106
Davidsen, O., see Nykjær, A. (1052) 399
Debuyser, A., see Joffre, M. (1052) 285
Degani, H., see Neeman, M. (1052) 255
Dobson, P.R.M., Brown, B.L., Michelangeli, V.P., Short, A.D., Moseley, J.M., Russell, R.G.G. and Martin, T.J.
Interactive regulation of signalling pathways in bone cells: possible modulation of PGE_2-stimulated adenylyl cyclase activity by protein kinase C (1052) 323
Douglas, J.E., see Chang, C.-H. (1052) 159
Downes, C.S., see Musk, S.R.R. (1052) 53

Eldar, H., see Neeman, M. (1052) 255
Engel, J., see Sonawat, H.M. (1052) 36

Fanestil, D.D., see Luo, H. (1052) 119
Farkas, I., see Csortos, C. (1052) 235
Faulkner, A. and Pollock, H.T.
Effects of glucagon and α- and β-agonists on glycogenolysis and gluconeogenesis in isolated ovine hepatocytes (1052) 229
Fernández-Renart, M., see Ospina, B. (1052) 483
Flamigni, F., Marmiroli, S., Meggio, F., Guarnieri, C. and Pinna, L.A.
Phosphorylation of ornithine decarboxylase in intact erythroleukemia cells (1052) 345
Flordellis, C.S., see Bresnahan, M.R. (1052) 439
Follin, P., see Dahlgren, C. (1052) 42
Forstner, G., see Marcon, M.A. (1052) 17
Forstner, J., see Marcon, M.A. (1052) 17
Froh, D., Ballard, P.L., Williams, M.C., Gonzales, J., Goerke, J., Odom, M.W. and Gonzales, L.W.
Lamellar bodies of cultured human fetal lung: content of surfactant protein A (SP-A), surface film formation and structural transformation in vitro (1052) 78

Gallagher, J.T., see Steward, W.P. (1052) 416
Ganz, P.R., see Hashemi, S. (1052) 63

Gardner, J.D., see Sutliff, V.E. (1052) 9
Gautvik, K.M., see Spydevold, (1052) 221
Gavras, H., see Bresnahan, M.R. (1052) 439
Gazzola, G.C., see Dall'Asta, V. (1052) 106
Gerbitz, K.D., see Olgemöller, B. (1052) 47
Gergely, P., see Csortos, C. (1052) 235
Gilfillan, A.M., Wiggan, G.A. and Welton, A.F.
Pertussis toxin pretreatment reveals differential effects of adenosine analogs on IgE-dependent histamine and peptidoleukotriene release from RBL-2H3 cells (1052) 467
Gladwin, A.-M., Hassall, D.G., Martin, J.F. and Booth, R.F.G.
MAC-1 mediates adherence of human monocytes to endothelium via a protein kinase C dependent mechanism (1052) 166
Gliemann, J., see Nykjær, A. (1052) 399
Goerke, J., see Froh, D. (1052) 78
Gonzales, J., see Froh, D. (1052) 78
Gonzales, L.W., see Froh, D. (1052) 78
Gross, J.L., see Horuk, R. (1052) 173
Guarnieri, C., see Flamigni, F. (1052) 345
Guidotti, G.G., see Dall'Asta, V. (1052) 106

Handberg, A., see Bak, J.F. (1052) 306
Hashemi, S., Tackaberry, E.S., Palmer, D.S., Rock, G. and Ganz, P.R.
DDAVP-induced release of Von Willebrand factor from endothelial cells in vitro: the effect of plasma and blood cells (1052) 63
Hassall, D.G., see Gladwin, A.-M. (1052) 166
Haung, T.-F., see Ko, F.-N. (1052) 360
Hensey, C.E., see Boscoboinik, D.O. (1052) 499
Hermoso, T., see Lester, D.S. (1052) 293
Heyworth, P.G. and Badwey, J.A.
Continuous phosphorylation of both the 47 and the 49 kDa proteins occurs during superoxide production by neutrophils (1052) 299
Hii, C.S.T., Kokke, Y.S., Clark, K.J. and Murray, A.W.
Phorbol esters modulate the turnover of both ether- and ester-linked phospholipids in cultured mammalian cells (1052) 327
Hildebrand, E. and Schimz, A.
The lifetime of photosensory signals in *Halobacterium halobium* and its dependence on protein methylation (1052) 96
Hilgard, P., see Sonawat, H.M. (1052) 36
Hirata, M., see Chang, C.-H. (1052) 159
Hodges, M., Miginiac-Maslow, M., Le Maréchal, P. and Rémy, R.
The ATP-dependent post translational modification of ferredoxin : $NADP^+$ oxidoreductase (1052) 446
Hokin-Neaverson, M., see Lowndes, J.M. (1052) 143
Horuk, R. and Gross, J.L.
Protein kinase C-linked inactivation of the interleukin-1 receptor in a human transformed B-cell line (1052) 173

Ishizuka, I., see Niimura, Y. (1052) 248

Jacob, R.
Calcium oscillations in electrically non-excitable cells (1052) 427
Jaffe, C.L., see Lester, D.S. (1052) 293
Jensen, R.T., see Sutliff, V.E. (1052) 9
Jiang, B., see Chang, C.-H. (1052) 159
Joffre, M. and Debuyser, A.
Glucose- and concentration-dependence of noradrenalin effects on electrical activity in mouse pancreatic β cells (1052) 285
Johnson, R.T., see Musk, S.R.R. (1052) 53
Josephson, I.R. and Sperelakis, N.
Developmental increases in the inwardly-rectifying K^+ current of embryonic chick ventricular myocytes (1052) 123

Kawaguchi, H., Sawa, H. and Yasuda, H.
Mechanism of increased angiotensin-converting enzyme activity stimulated by platelet-activating factor (1052) 503
Kemp, P.J., see Peers, C. (1052) 113
Kettle, A.J. and Winterbourn, C.C.
Superoxide enhances hypochlorous acid production by stimulated human neutrophils (1052) 379
Klauser, R.J., Schmer, G., Chandler, W.L. and Müller, W.
Consumption of complement and activation of human neutrophils by an artificial immune complex: polyacrylic acid-IgG-polymer (1052) 408
Knowlden, J., see Steadman, R. (1052) 264
Ko, F.-N., Chen, I.-S., Wu, S.-J., Lee, L.-G., Haung, T.-F. and Teng, C.-M.
Antiplatelet effects of chelerythrine chloride isolated from *Zanthoxylum simulans* (1052) 360
Kohno, K., see Mizoguchi, H. (1052) 475
Kohse, K.P., see Chang, C.-H. (1052) 159
Kokke, Y.S., see Hii, C.S.T. (1052) 327
Koland, J.G. and Cerione, R.A.
Activation of the EGF receptor tyrosine kinase by divalent metal ions: comparison of holoreceptor and isolated kinase domain properties (1052) 489
Kostyo, J.L., see Roupas, P. (1052) 341
Kovács, T., see Csortos, C. (1052) 235
Kragskow, S.L., see Casey, C.A. (1052) 1
Kuwano, M., see Mizoguchi, H. (1052) 475

Larsson, R., see Nygren, P. (1052) 392
Lasslo, A., see Owens, C.K. (1052) 351
Lee, L.-G., see Ko, F.-N. (1052) 360
Lefebvre, V., Peeters-Joris, C. and Vaes, G.
Modulation by interleukin 1 and tumor necrosis factor α of production of collagenase, tissue inhibitor of metalloproteinases and collagen types in differentiated and dedifferentiated articular chondrocytes (1052) 366
Leibfritz, D., see Sonawat, H.M. (1052) 36
Le Maout, S., see Tauc, M. (1052) 278
Le Maréchal, P., see Hodges, M. (1052) 446
Lester, D.S., Hermoso, T. and Jaffe, C.L.
Extracellular phosphorylation in the parasite, *Leishmania major* (1052) 293
Lomri, A. and Marie, P.J.
Distinct effects of calcium- and cyclic AMP-enhancing factors on cytoskeletal synthesis and assembly in mouse osteoblastic cells (1052) 179
Lowndes, J.M., Hokin-Neaverson, M. and Bertics, P.J.
Kinetics of phosphorylation of Na^+/K^+-ATPase by protein kinase C (1052) 143
Luo, H., Beaumont, K., Vaughn, D.A. and Fanestil, D.D.
Solubilization of thiazide diuretic receptors from rat kidney membranes (1052) 119
Lyon, M., see Steward, W.P. (1052) 416

Makrides, S.C., see Bresnahan, M.R. (1052) 439
Malbon, C.C., see Rapiejko, P.J. (1052) 348
Marcon, M.A., McCool, D., Forstner, J. and Forstner, G.
Inhibition of mucin secretion in a colonic adenocarcinoma cell line by DIDS and potassium channel blockers (1052) 17
Marie, P.J., see Lomri, A. (1052) 179
Marmiroli, S., see Flamigni, F. (1052) 345
Martin, J.F., see Gladwin, A.-M. (1052) 166
Martin, T.J., see Dobson, P.R.M. (1052) 323
Masumi, A., Aoi, S., Shiga, J. and Tsukada, K.
Heat-shock proteins and nucleolar hypertrophy in the liver of rat infused with methionine-free total parenteral nutrition (1052) 71
Mazière, C., see Chappey-Gillet, B. (1052) 273
Mazière, J.C., see Chappey-Gillet, B. (1052) 273
McCool, D., see Marcon, M.A. (1052) 17
McIntire, L.V., see Owens, C.K. (1052) 351

Meggio, F., see Flamigni, F. (1052) 345
Menegus, A.M., see Bellini, F. (1052) 216
Menzel, H., see Müller, L. (1052) 386
Michelangeli, V.P., see Dobson, P.R.M. (1052) 323
Miginiac-Maslow, M., see Hodges, M. (1052) 446
Mizoguchi, H., Uchiumi, T., Ono, M., Kohno, K. and Kuwano, M.
Enhanced production of tissue-type plasminogen activator by estradiol in a novel type variant of human breast cancer MCF-7 cell line (1052) 475
Møller, I.M., see Sommarin, M. (1052) 195
Mollinedo, F., see Balsinde, J. (1052) 90
Moseley, J.M., see Dobson, P.R.M. (1052) 323
Mulder, E., see Veldscholte, J. (1052) 187
Müller, L. and Menzel, H.
Studies on the efficacy of lipoate and dihydrolipoate in the alteration of cadmium^{2+} toxicity in isolated hepatocytes (1052) 386
Müller, W., see Klauser, R.J. (1052) 408
Murad, F., see Chang, C.-H. (1052) 159
Murphy, B.J., Washkurak, A.W. and Tuana, B.S.
Dihydropyridine binding to the L-type Ca^{2+} channel in rabbit heart sarcolemma and skeletal muscle transverse-tubules: role of disulfide, sulfhydryl and phosphate groups (1052) 333
Murray, A.W., see Hii, C.S.T. (1052) 327
Musk, S.R.R., Pillidge, L., Johnson, R.T. and Downes, C.S.
Action of caffeine on DNA replication after ultraviolet irradiation in Indian muntjac cells: no connection with action on cell cycle delay (1052) 53

Neeman, M., Eldar, H., Rushkin, E. and Degani, H.
Chemotherapy-induced changes in the energetics of human breast cancer cells; ^{31}P- and ^{13}C-NMR studies (1052) 255
Niimura, Y. and Ishizuka, I.
Adaptive changes in sulfoglycolipids of kidney cell lines by culture in anisosmotic media (1052) 248
Nye, P.C.G., see Peers, C. (1052) 113
Nygren, P. and Larsson, R.
Modulation of vincristine sensitivity of human kidney tumor cells by pharmacological agents interfering with intracellular signals. No apparent relationship to changes in cytoplasmic Ca^{2+} or pH (1052) 392
Nykjær, A., Petersen, C.M., Christensen, E.I., Davidsen, O. and Gliemann, J.
Urokinase receptors in human monocytes (1052) 399

Odom, M.W., see Froh, D. (1052) 78
Olgemöller, B., Schwaabe, S., Schleicher, E.D. and Gerbitz, K.D.
Competitive inhibition by glucose of *myo*-inositol incorporation into cultured porcine aortic endothelial cells (1052) 47
Ono, M., see Mizoguchi, H. (1052) 475
Ospina, B. and Fernández-Renart, M.
Characterization of three casein kinases type I from *Dictyostelium discoideum* (1052) 483
Owens, C.K., McIntire, L.V. and Lasslo, A.
Inhibition of mural thrombus formation by novel nipecotoylpiperazine antiplatelet agents (1052) 351

Palmer, D.S., see Hashemi, S. (1052) 63
Pedersen, O., see Bak, J.F. (1052) 306
Peers, C., Kemp, P.J., Boyd, C.A.R. and Nye, P.C.G.
Whole-cell K^+ currents in type II pneumocytes freshly isolated from rat lung: pharmacological evidence for two subpopulations of cells (1052) 113
Peeters-Joris, C., see Lefebvre, V. (1052) 366
Petersen, C.M., see Nykjær, A. (1052) 399
Petit, P.X., see Sommarin, M. (1052) 195
Pillidge, L., see Musk, S.R.R. (1052) 53
Pinna, L.A., see Flamigni, F. (1052) 345
Pollock, H.T., see Faulkner, A. (1052) 229
Poujeol, P., see Tauc, M. (1052) 278

Rapiejko, P.J., Watkins, D.C., Ros, M. and Malbon, C.C.
G-protein subunit mRNA levels in rat heart, liver, and adipose tissues: analysis by DNA-excess solution hybridization (1052) 348
Rémy, R., see Hodges, M. (1052) 446
Rock, G., see Hashemi, S. (1052) 63
Ros, M., see Rapiejko, P.J. (1052) 348
Rossi, P.A., see Dall'Asta, V. (1052) 106
Roupas, P., Towns, R.J. and Kostyo, J.L.
Isolated adipocytes from growth hormone-treated obese (ob/ob) mice exhibit insulin resistance (1052) 341
Rushkin, E., see Neeman, M. (1052) 255
Russell, R.G.G., see Dobson, P.R.M. (1052) 323

Salmon, S., see Chappey-Gillet, B. (1052) 273
Sandborg, R.R., see Smolen, J.E. (1052) 133
Sawa, H., see Kawaguchi, H. (1052) 503
Schimz, A., see Hildebrand, E. (1052) 96
Schlager, J.W., see Augustine, J.A. (1052) 313
Schleicher, E.D., see Olgemöller, B. (1052) 47
Schmer, G., see Klauser, R.J. (1052) 408
Schwaabe, S., see Olgemöller, B. (1052) 47
Shiga, J., see Masumi, A. (1052) 71
Short, A.D., see Dobson, P.R.M. (1052) 323
Smolen, J.E. and Sandborg, R.R.
Ca^{2+}-induced secretion by electropermeabilized human neutrophils. The roles of Ca^{2+}, nucleotides and protein kinase C (1052) 133
Soejima, R., see Umeki, S. (1052) 211
Sommarin, M., Petit, P.X. and Møller, I.M.
Endogenous protein phosphorylation in purified plant mitochondria (1052) 195
Sonawat, H.M., Leibfritz, D., Engel, J. and Hilgard, P.
Biotransformation of mafosfamide in P388 mice leukemia cells: intracellular ^{31}P-NMR studies (1052) 36
Sørensen, H., see Spydevold, (1052) 221
Sorrell, M.F., see Casey, C.A. (1052) 1
Sorsa, T., see Aaku, E. (1052) 243
Sparks, L., see Csortos, C. (1052) 235
Sperelakis, N., see Josephson, I.R. (1052) 123
Spur, B., see Steadman, R. (1052) 264
Spydevold, , Sørensen, H., Clausen, O.P. and Gautvik, K.M.
Dexamethasone inhibition of rat hepatoma cell growth and cell cycle traverse is reversed by insulin (1052) 221
Steadman, R., Topley, N., Knowlden, J., Spur, B. and Williams, J.
Leukotriene B_4 generation by human monocytes and neutrophils stimulated by uropathogenic strains of *Escherichia coli* (1052) 264
Steward, W.P., Christmas, S.E., Lyon, M. and Gallagher, J.T.
The synthesis of proteoglycans by human T lymphocytes (1052) 416
Sutliff, V.E., Cherner, J.A., Jensen, R.T. and Gardner, J.D.
Binding of ^{125}I-CCK-8 and ^{125}I-gastrin-I to dispersed chief cells from guinea-pig stomach (1052) 9

Tackaberry, E.S., see Hashemi, S. (1052) 63
Takuma, T.
Propranolol inhibits cyclic AMP accumulation and amylase secretion in parotid acinar cells stimulated by isobutylmethylxanthine and forskolin (1052) 461
Tauc, M., Le Maout, S. and Poujeol, P.
Fluorescent video-microscopy study of regulatory volume decrease in primary culture of rabbit proximal convoluted tubule (1052) 278
Teng, C.-M., see Ko, F.-N. (1052) 360

Thorstensen, K. and Aisen, P.
Release of iron from diferric transferrin in the presence of rat liver plasma membranes: no evidence of a plasma membrane diferric transferrin reductase (1052) 29
Toffano, G., see Bellini, F. (1052) 216
Topley, N., see Steadman, R. (1052) 264
Towns, R.J., see Roupas, P. (1052) 341
Trapman, J., see Veldscholte, J. (1052) 187
Tsuda, M. and Tsuda, T.
Two distinct light regulated G-proteins in octopus photoreceptors (1052) 204
Tsuda, T., see Tsuda, M. (1052) 204
Tsukada, K., see Masumi, A. (1052) 71
Tuana, B.S., see Murphy, B.J. (1052) 333
Tuma, D.J., see Casey, C.A. (1052) 1

Uchiumi, T., see Mizoguchi, H. (1052) 475
Umeki, S. and Soejima, R.
Hydrocortisone inhibits the respiratory burst oxidase from human neutrophils in whole-cell and cell-free systems (1052) 211
Urumow, T. and Wieland, O.H.
Purification and partial characterization of phosphatidylinositol-4-phosphate kinase from rat liver plasma membranes. Further evidence for a stimulatory G-protein (1052) 152

Vaes, G., see Lefebvre, V. (1052) 366
Van Bergen en Henegouwen, P.M.P., see Berkers, J.A.M. (1052) 453
Van Rooij, H.C.J., see Veldscholte, J. (1052) 187
Vassilatis, D.K., see Bresnahan, M.R. (1052) 439
Vaughn, D.A., see Luo, H. (1052) 119
Veldscholte, J., Voorhorst-Ogink, M.M., Bolt-de Vries, J., Van Rooij, H.C.J., Trapman, J. and Mulder, E.
Unusual specificity of the androgen receptor in the human prostate tumor cell line LNCaP: high affinity for progestagenic and estrogenic steroids (1052) 187
Verkleij, A.J., see Berkers, J.A.M. (1052) 453
Viola, G., see Bellini, F. (1052) 216
Voorhorst-Ogink, M.M., see Veldscholte, J. (1052) 187

Washkurak, A.W., see Murphy, B.J. (1052) 333
Watkins, D.C., see Rapiejko, P.J. (1052) 348
Welton, A.F., see Gilfillan, A.M. (1052) 467
Wieland, O.H., see Urumow, T. (1052) 152
Wiggan, G.A., see Gilfillan, A.M. (1052) 467
Wikström, M., see Aaku, E. (1052) 243
Williams, J., see Steadman, R. (1052) 264
Williams, M.C., see Froh, D. (1052) 78
Winterbourn, C.C., see Kettle, A.J. (1052) 379
Wu, S.-J., see Ko, F.-N. (1052) 360

Yasuda, H., see Kawaguchi, H. (1052) 503
Yeaman, S.J.
Hormone-sensitive lipase – a multipurpose enzyme in lipid metabolism (1052) 128

Zak, O. and Aisen, P.
Evidence for functional differences between the two sites of rabbit transferrin: effects of serum and carbon dioxide (1052) 24
Zannis, V.I., see Bresnahan, M.R. (1052) 439